



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Chairman

M/S. BHARAT AGRI FERT & REALTY LTD

301, 3rd Floor, Hubtown Solaris N. S. Phadke Marg, Andheri - East,
Mumbai -400069

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/416080/2023 dated 27 Jan 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC23B038MH191009 |
| 2. File No. | SIA/MH/INFRA2/416080/2023 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Proposed Expansion in Environment Clearance of Residential & Commercial housing complex "Shiv Sai Paradise" located on plot bearing S. No. 112, H.No. 2A, 3, 4, 5/1, 5/2, 5/3, 6 to 12, 13A/1, 13A/2, 13A/3, 13A/4 & 14 at Village – Majiwade, Tal & Dist – Thane by M/s. Bharat Agri Fert & Realty Ltd. |
| 7. Name of Company/Organization | M/S. BHARAT AGRI FERT & REALTY LTD |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 26/05/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/416080/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To

M/s. Bharat Agri Fert & Realty Ltd.,
S. No. 112, H.No. 2A, 3, 4, 5/1, 5/2, 5/3,
6 to 12, 13A/1, 13A/2, 13A/3, 13A/4 & 14,
Village – Majiwade, Tal & Dist. – Thane

Subject : Environment Clearance for Proposed Expansion in Environment Clearance of Residential & Commercial housing complex “Shiv Sai Paradise” located on plot bearing S. No. 112, H.No. 2A, 3, 4, 5/1, 5/2, 5/3, 6 to 12, 13A/1, 13A/2, 13A/3, 13A/4 & 14 at Village – Majiwade, Tal & Dist. – Thane by M/s. Bharat Agri Fert & Realty Ltd.

Reference : Application no. SIA/MH/INFRA2/416080/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 197th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 259th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details	
1	Proposal Number	SIA/MH/INFRA2/416080/2023	
2	Name of Project	Expansion of Environment Clearance of Residential & Commercial housing complex “Shiv Sai Paradise” located on land bearing S. No. 112, H. No. 2A, 3, 4, 5/1, 5/2, 5/3, 6 to 12, 13A/1, 13A/2, 13A/3, 13A/4 & 14 at Village –Majiwade, Tal & Dist –Thane proposed by M/s. Bharat Agri Fert & Realty Ltd.	
3	Project category	8 (a) B2	
4	Type of Institution	Private	
5	Project Proponent	Name	Yogendra Patel
		Regd. Office address	301, 3rd Floor, Hubtown Solaris, NS Phadke Marg, Near East West Flyover, Andheri (E), Mumbai - 400069
		Contact number	9820000328
		e-mail	ydp13@hotmail.com

6	Consultant	M/s. EcoFootForward Environment Consultancy & Engineers Pvt. Ltd. D-318, Neelkanth Business Park, Vidyavihar (West), Mumbai 400086, Maharashtra, India. NABET Accreditation number: NABET/EIA/2023/RA 0190_Rev 01 dated on 28.12.2020 Validity: 04.03.2023				
7	Applied for	Expansion				
8	Location of the project	Land bearing S. No. 112, H. No. 2A, 3, 4, 5/1, 5/2, 5/3, 6 to 12, 13A/1, 13A/2, 13A/3, 13A/4 & 14 at Village –Majiwade, Tal & Dist –Thane				
9	Latitude and Longitude	Latitude: 19° 8' 17.2392" N Longitude: 72° 50' 20.3424"E				
10	Plot Area (sq.m.)	24643.00 [Existing Development: 26089 + Proposed Development: -1446]				
11	Deductions (sq.m.)	6928.6 [Existing Development: 7224.37 + Proposed Development: -295.77]				
12	Net Plot area (sq.m.)	17714.4 [Existing Development: 18864.63 + Proposed Development: -1150.23]				
13	Ground coverage (m ²) & %	9778.14 Sqm & 44%				
14	FSI Area (sq.m.)	62494.63 [Existing Development: 34506.52 + Proposed Development: 27988.11]				
15	Non-FSI (sq.m.)	28991.43 [Existing Development: 22823.75 + Proposed Development: 6167.68]				
16	Proposed built-up area (FSI + Non FSI) (sq.m.)	91486.06 [Existing Development: 57342.27 + Proposed Development: 34143.79]				
17	TBUA (m ²) approved by Planning Authority till date	Permissible FSI: 48220 sq. m. + Ancillary Area: 14285 sq. m = 62505 sq. m.				
18	Earlier EC details with Total Construction area, if any.	1.Environmental Clearance letter no. 21-427/2006-IA-III on 17 th May 2007 2.Environmental Clearance letter granted <i>vide</i> Letter No. SEAC 2012/CR-288/TC-2 dated 17.05.2013 Total Construction Built-Up Area: 57,342.27 sq.m.				
19	Construction completed as per earlier EC (FSI + Non FSI) (sq.m.)	Total Construction Built-Up Area Completed: 40368.08 sq.m.				
20	Previous EC / Existing Building			Proposed Configuration		Reason for Modification / Change
	Building Name	Configuration	Height (m)	Building Name	Configuration	
	Building Type, A	ST + 17F	52.5	Type A:	ST + 17 F	
	Building Type B	ST + 17F	52.5	Type B:	ST + 17 F	

	Building Type C	G + 12F	39.62	Type C:	Gr + 12 F	39.62 m	
	Building Type D	ST + 20F	61.2	Type D:	ST + 20 F	61.2m	
	Building Type E	ST + 14 F	44.95	Type E:	ST + 20 F	61.2 m	
	Elevated RG + Club house	Gr + 1F	10.65	Elevated RG + Club house:	Gr + 1 F	6.85 m	
	Type F	ST + 14 F	43.80 m	Type F	ST + 14 F	43.80 m	
				Proposed Building: Building Type G	B + ST + 1st to 6th Podium + 7th to 58 F	179.85 Mtr.	
21	No. of Tenements & Shops			787 Flats+ 1 shops + 2 offices [Existing Development: 383 Flats + 1 shop + 2 offices, Proposed Development: 404 Flats]			
22	Total Population			4164 No.			
23	Total Water Requirements CMD			Total Water Requirement: 577.83 CMD Fresh Water: 351.03 CMD Flushing – Recycled: 178.44 CMD Gardening – Recycled: 43.36 CMD Swimming Pool: 5 CMD			
24	Under Ground Tank (UGT) location			As per DCPR norms			
25	Source of water			Thane Municipal Corporation			
26	STP Capacity & Technology			STP Capacity: STP1: 400 CMD, STP2: 305 CMD STP Technology: MBBR (Moving Bed Biofilm Reactor)			
27	STP Location			Ground			
28	Sewage Generation CMD & % of sewage discharge in sewer line			Sewage Generation: 476.82 CMD & Excess treated water will be supplied to tanker agency			
29	Solid Waste Management during Construction Phase			Type	Quantity (Kg/d)	Treatment / disposal	
				Dry waste	14	Sold to Authorized Vendor	
				Wet waste	6	Treatment by Existing OWC	
				Construction waste	-	-	
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed			Type	Quantity (Kg/d)	Treatment / disposal	
				Dry waste	557.15 [Existing	Authorized Recycler	

			Development: 414.42 + Proposed: 142.73]							
		Wet waste	1178.88 [Existing Development: 873.39 + Proposed: 305.49]	Organic Waste Convertor						
		E-Waste	-	-						
		STP Sludge (dry)	-	-						
31	R.G. Area in sq.m.	RG required –4428.16 m ² RG provided on Mother earth/Ground- 3514.17 m ² RG provided on Podium: 3864.73 m ² Total – 7378.9 m ² Existing trees on plot: 401 Number of trees to be planted: a) In RG area: 72 In Miyawaki Plantation (with area): 900 trees on Miyawaki area 331.83 m2 Number of trees to be cut: 0 Number of trees to be transplanted: 0								
32	Power requirement	During Operation Phase: <table><tr><td>Details</td><td>Maharashtra State Electricity Distribution Co. Ltd. (MSEDCL)</td></tr><tr><td>Connected load (kW)</td><td>10040 kW</td></tr><tr><td>Demand load (kW)</td><td>7084 kW</td></tr></table>			Details	Maharashtra State Electricity Distribution Co. Ltd. (MSEDCL)	Connected load (kW)	10040 kW	Demand load (kW)	7084 kW
Details	Maharashtra State Electricity Distribution Co. Ltd. (MSEDCL)									
Connected load (kW)	10040 kW									
Demand load (kW)	7084 kW									
33	Energy Efficiency	a) Total Energy saving (%): % b) Solar energy (%): 5 % saving by Renewable								
34	D.G. set capacity	1 x 140 KVA, 1 x 160 KVA (Existing) + 1 x 650 KVA (Proposed)								
35	No. of 4-W & 2-W Parking with 25% EV	4-Wheeler: 714 [Existing Development: 315 + Proposed Development: 399 (EV:104)], 2-Wheeler: 606 [Existing Development: 190 + Proposed Development: 416(EV:72)]								
36	No. & capacity of Rain water harvesting tanks /Pits	Existing Development: Rain Water Harvesting Pits (RWH): 5 Nos., Proposed: Rain Water Harvesting Tank: 120 CMD								
37	Project Cost in (Cr.)	128 Cr [Existing Development: 103.21 Cr +								

		Proposed Development: 24.79 Cr]
38	EMP Cost	Construction Phase: 12.15 Lacs/Annum Operation Phase: <u>Capital Cost: 453.05 Lacs</u> [Existing Development: 259.55 Lacs + Proposed Development: 193.5 Lacs] <u>O&M Cost: 49.4 Lacs/Annum</u> [Existing Development: 22.5 Lacs + Proposed Development: 26.9 Lacs]
39	CER Details with justification if any....as per MoEF&CC circular dated 01/05/2018	-
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	NA

The comparative statement showing project details approved as per earlier EC and proposed project details is as given below:

Details	Existing Development (As per EC dt. 01.07.2013)	Total
Plot Area (sq. m)	26089	24643
Deduction (sq. m.)	7224.37	6928.6
Net Plot Area (sq. m.)	18864.63	17714.4
FSI Area (sq. m.)	34,506.52	62494.63
Non FSI area (Sq. mt.)	22,823.75	28991.43
Total Construction Built-up Area (Sq. mt.)	57342.27	91486.06
Total Cost (Cr.)	103.21	128
Building Details & Height	Existing Development:	Existing Development:
	Type A: ST + 17F: 52.5 m	Type A: ST + 17F: 52.5 m
	Type B: ST + 17F: 52.5 m	Type B: ST + 17F: 52.5 m
	Type C: Gr + 12F: 39.62 m	Type C: Gr + 12F: 39.62 m
	Type D: ST + 20F: 61.2 m	Type D: ST + 20F: 61.2m
	Type E: ST + 20: 61.2 m	Type E: ST + 20: 61.2 m
	Elevated RG + Club house: Gr + 1F: 10.65 m	Elevated RG + Club house: Gr + 1F: 6.85 m
	Type F: ST + 14 F: 43.80 m	Type F: ST + 14 F: 43.80 m
		Proposed Development:
		Type G: ST + 58 F: 179.85 m

Total No. of Flats	383 + 1 shop + 2 offices	787 Flats+ 1 shop + 2 offices
Total Population	1938	4164
Total Water Requirement (CMD)	302.87	608.19
Fresh Water (CMD)	173.04	373.38
Flushing (CMD) - Recycled	86.25	186.42
Irrigation (CMD) - Recycled	38.58	43.36
Swimming Pool (CMD)	5	5
Sewage Generated (CMD)	233.6	504.06
STP Capacity (CMD)	STP1: 400	STP1: 400, STP2: 305
STP Location	Ground	Ground
STP technology	Activated Sludge Process	STP1: ASP, STP2: MBBR
No of Recharge Pits/ Tank	5 Recharge Pits	5 Recharge Pits + 1 RWH Tank
Dry Waste (Kg/day)	247.7	531.52
Wet Waste (Kg/day)	571.23	1233.47
Total RG Area (sq. m)	8672.57	7378.9
RG Area on Ground (sq. m)	4807.84	3514.17
RG Area on Podium (sq. m)	3,864.73	3,864.73
Total Trees	401	401
No. of trees to be cut	0	0
No. of trees to be transplanted	0	0
No. of trees to be retained	401	401
No. of trees to be planted	186	RG Area: 72, Miyawaki: 900
Demand Load	3000	7084
Connected Load	-	10040
DG Details	1 nos. x 140 KVA, 2 nos. x 75 kVA	1 nos. x 140 KVA, 2 nos. x 75 KVA 1 nos. x 650 KVA
2-wheeler (No.)	190	606
4-wheeler (No.)	315	714

3. The proposal has been considered by SEIAA in its 259th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.

- a) PP to obtain following NOCs & remarks as per amended planning:
2. Water supply; b) Sewer connection; c) SWD NOC; d) CFO NOC; e) Tree NOC; f) Revised Nalla remarks; g) Civil Aviation NOC.
 3. PP to submit revised Architect certificate mentioning building wise, FSI, Non-FSI area wise, configuration wise construction done on site & also mentioning that they have not done construction after the end of validity of earlier EC dated: 17.05.2013.
 4. PP to submit Indemnity bond indemnifying Environment Department, GoM; SEAC-2 and SEIAA from any legal consequences arising out of the project.
 5. PP to submit certified compliance report of earlier EC from Regional Office, MOEF&CC, Nagpur.
 6. PP to revisit the costing mentioned for sprinkling of water for dust suppression and for various activities in EMP of construction phase and submit revised EMP.
 7. PP to submit wind and shadow analysis report.
 8. PP to submit revise water balance including swimming pool make up water; PP to reduce discharge of treated water up to 35%; PP to submit undertaking from concerned authority/agency/third party regarding use of excess treated water.

B. SEIAA Conditions-

1. This EC is restricted for building no G up to 158.85 m height only as per CFO NOC.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for – FSI- 62,494.63 m², Non FSI- 28991.43 m², Total BUA- 91,486.06 m². (Plan approval No-TMC/HQ-1/SVV/21/4073, dated-05.01.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction

workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste

- should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
 - III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
 - IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
 - V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
 - VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
 - VII. PP to provide adequate electric charging points for electric vehicles (EVs).
 - VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
 - XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Thane.
6. Commissioner, Thane Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Thane.

Signature Not Verified
Digitally signed by Shri Pravin C.
Darade , I.A.S.
Member Secretary
Date: 5/26/2023 5:03:39 PM